

0901-0099

2004-07 Chevy Colorado BULL BAR

Components List:

- 1 – Bull Bar Assembly
- 2 – Bracket, Driver and Passenger Side
- 2 – Plastic Plug
- 4 – Rubber Bumper

PARTS LIST:


- 4 – Spacer Washer
- 4 – M12-1.75 * 100 mm Hex Head Bolt
- 4 – M12 Flat Washer
- 4 – M12 Lock Washer
- 4 – M12 Hex Nuts
- 2 – M14 * 50 mm Hex Head Bolt
- 2 – M14 Flat Washer
- 2 – M14 Lock Washer

Installation Instruction:

1. Remove all contents from the received box and check tube for any dent. Also verify all brackets and bolts against the parts list.
2. Read installation manual and installation drawing completely. To understand brackets and bolts before installation.
3. It may be necessary to remove/relocate front license plate and license plate bracket. If local/state law requires a license plate, license plate relocation kit 0900-0001 is available.
4. Remove lower valance by removing two pushpins from each side of the lower bumper. Using the flip tip screwdriver, pry the tabs out from the valance and remove.

5. Position passenger bracket to the inside of the frame rail and secure using M12 bolts set as shown. The M12 x 100mm hex bolts and spacer washer goes to the outside of the frame.
6. Attached bull bar to brackets using M14 bolt set as shown. Level and adjust bull bar as desired. Light installation: Insert threaded stud on base of the light through hole in cross tube. Using a ratchet, extension and socket for correct size of nut supplied, insert through large clearance hole in bottom of cross tube. Thread nut and washers on stud and tighten.
7. Fits most 6" round or rectangle lights. Some lights may require replacing included mount/isolator with rubber bumpers provided. Mounting stud of $\frac{1}{2}$ " or less required. Plug mount holes with caps provided if not installing light.
8. If lower valance is to reinstall it will need to be trimmed to fit around the Bull Bar legs.

0901-0099



USE SECOND TAB FROM
OUTEREDGE TO LOCATE
CUTTING TEMPLATE
(BOTH SIDES)





FIGURE 2 INSTALLATION VIEW OF PASSENGER SIDE FROM INSIDE, DRIVER SIDE OPPOSITE

0901-0099




FIGURE 1
CUTTING TEMPLATE